

**Restoration Forest Products
Windfall System
Log Deck
Wood-Mizer US Manufactured
Parts Manual**

SLPT-017-40-010	rev. A1.00
SLPT-017-40-020	rev. A1.00
SLPT-017-40-030	rev. A1.00
SLPT-017-40-040	rev. A1.00

Form #2518

Publish date: 14 Sept 2023

California Proposition 65 Warning



WARNING: This product contains a chemical known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov/wood.

©2022 Wood-Mizer LLC

Printed in the United States of America, all rights reserved. No part of this manual may be reproduced in any form by any photographic, electronic, mechanical or other means or used in any information storage and retrieval system without written permission from


Wood-Mizer, LLC
8180 West 10th Street
Indianapolis, Indiana 46214

**SLPT-017-40-010, SLPT-017-40-020, SLPT-017-40-030,
and SLPT-017-40-040,**

1016-SLPT-017 Assy, Log Deck Drive.....	7
1080-SLPT-017 Assy, Motor/Gearbox	9
1321-SLPT-017 Assy, Headshaft Mount	11
1021-SLPT-017 Assy, WH124 9T Idler.....	13
122568 Assy, Headshaft.....	14
1064-SLPT-017 Assy, Log Deck Strand.....	15
1009-SLPT-017 Assy, WH124 14T Idler.....	16
3000-SLPT-017 Assy, Pin Stop.....	17
1381-SLPT-017 Assy, Valve Mount.....	18
1389-SLPT-017 Assy, Switch Mount.....	19
1609-SLPT-017 Assy, Switch Mount.....	20
3057-SLPT-017 Assy, Log Deck Cableway.....	21

ITEM	PART NUMBER	DESCRIPTION	QTY
1	1016-SLPT-017	Assy, Log Deck Drive	1
2	1064-SLPT-017	Assy, Log Deck Strand	5
3	1322-SLPT-017	Chain, WH124IH x 872in (218 pitches)	5
4	1381-SLPT-017	Assy, Valve Mount	2
5	1389-SLPT-017	Assy, Switch Mount	2
6	1609-SLPT-017	Assy, Switch Mount	6
7	3053-SLPT-017	Channel, Crossmember	2


TOP OF CHAIN: 55-1/8"
HEADSHAFT TO TAILSHAFT: 30' (360")
OVERALL LENGTH: 379-1/2"
CHAIN SPEED: 31FPM
MOTOR: 15HP 480V 60Hz 3Ph
MOTOR STARTER: FVR




Notes:
1. Treatment: Paint after welding
2. All strands are to be welded to legs during installation
3. The narrow end of the chain should be facing the direction of travel
4. Limit switches are always located on 2nd and 3rd strand
5. Valves are located on the 3rd strand

TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.			
.xxx ±.005 .xx ±.010 .x ±.015 HOLES ±.010 FRACT ±.005 ANGLE ± 1/2° GRIND #6		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542 8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257			
SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED
1 of 7	0.031	11/1/21	MCM	MCM	MAM
DESCRIPTION			REVISION		
Log Deck, 30'			SLPT-017-40-010 SLPT-017-40-020 SLPT-017-40-030 SLPT-017-40-040		
			A		



TOP OF CHAIN: 55-1/8"
HEADSHAFT TO TAILSHAFT: 30' (360")
OVERALL LENGTH: 379-1/2"
CHAIN SPEED: 31FPM
MOTOR: 15HP 480V 60Hz 3Ph
MOTOR STARTER: FVR




ITEM	PART NUMBER	DESCRIPTION	QTY
1	1016-SLPT-017	Assy, Log Deck Drive	1
2	1064-SLPT-017	Assy, Log Deck Strand	5
3	1322-SLPT-017	Chain, WH124IH x 872in (218 pitches)	5
4	1381-SLPT-017	Assy, Valve Mount	2
5	1389-SLPT-017	Assy, Switch Mount	2
6	1609-SLPT-017	Assy, Switch Mount	6
7	3053-SLPT-017	Channel, Crossmember	2




SECTION B-B




DETAIL A
SCALE 0.125



DETAIL C
SCALE 0.125



DETAIL D
SCALE 0.125






DETAIL E
SCALE 0.125


- Notes:
1. Treatment: Paint after welding
 2. All strands are to be welded to legs during installation
 3. The narrow end of the chain should be facing the direction of travel
 4. Limit switches are always located on the 2nd and 3rd strands
 5. Valves are located on the 3rd strand

TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.			
.xxx ±.005 .xx ±.010 .x ±.010 HOLES ±.005 FRACT ±1/32 ANGLE ±1/2° GRIND #6		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542 8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257			
DESIGNER MCM	SCALE 0.031	DATE 11/1/21	DRAWN MCM	CHECKED MAM	REVISION A
DESCRIPTION Log Deck, 30'			NUMBER SLPT-017-40-010 SLPT-017-40-020 SLPT-017-40-030 SLPT-017-40-040		


TOP OF CHAIN: 55-1/8"
HEADSHAFT TO TAILSHAFT: 30' (360")
OVERALL LENGTH: 379-1/2"
CHAIN SPEED: 31FPM
MOTOR: 15HP 480V 60Hz 3Ph
MOTOR STARTER: FVR




DETAIL L
SCALE 0.125



DETAIL M
SCALE 0.125




DETAIL N
SCALE 0.125



DETAIL O
SCALE 0.125

ITEM	PART NUMBER	DESCRIPTION	QTY
1	1016-SLPT-017	Assy, Log Deck Drive	1
2	1064-SLPT-017	Assy, Log Deck Strand	5
3	1322-SLPT-017	Chain, WH124IH x 872in (218 pitches)	5
4	1381-SLPT-017	Assy, Valve Mount	2
5	1389-SLPT-017	Assy, Switch Mount	2
6	1609-SLPT-017	Assy, Switch Mount	6
7	3053-SLPT-017	Channel, Crossmember	2






SECTION B-B

- Notes:
1. Treatment: Paint after welding
 2. All strands are to be welded to legs during installation
 3. The narrow end of the chain should be facing the direction of travel
 4. Limit switches are always located on the 2nd and 3rd strands
 5. Valves are located on the 3rd strand

TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.			
.xxx ±.005		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542			
.xx ±.010		8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257			
HOLES +.010		SHEET	SCALE	DATE	DESIGNED
FRACT ±1/32		6 of 7	0.031	11/1/21	MCM
ANGLE ± 1/2°					DRAWN
GRIND #6					MCM
DESCRIPTION		NUMBER		REVISION	
Log Deck #1, 30'		SLPT-017-40-010 SLPT-017-40-020		A	
		SLPT-017-40-030 SLPT-017-40-040			

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----


ITEM	PART NUMBER	DESCRIPTION	QTY
1	1080-SLPT-017	Assy, Motor/Gearbox	1
2	122571	Key, 7/8 Sq x 5	1
3	122581	Sprocket, 120B70 Split w/ S-4 Hub	1
4	1321-SLPT-017	Assy, Headshaft Mnt	1



TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.			
.xxx ±.005		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542			
.xx ±.010		8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257			
.x ±.010					
HOLES ±.000					
FRACT ±1/32					
ANGLE ± 1/2°					
GRIND #6					
DESCRIPTION		NUMBER		REVISION	
Assy, Log Deck Drive		1016-SLPT-017		A	

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----

ITEM	PART NUMBER	DESCRIPTION	QTY
1	1080-SLPT-017	Assy, Motor/Gearbox	1
2	122571	Key, 7/8 Sq x 5	1
3	122581	Sprocket, 120B70 Split w/ S-4 Hub	1
4	1321-SLPT-017	Assy, Headshaft Mnt	1



SCALE 0.125

Notes:
1. Treatment: None

**TOLERANCES
UNLESS NOTED**

.xxx ±.005
.xx ±.010
HOLES +.010
-.000
FRACT ±1/32
ANGLE ± 1/2°
GRIND #6




Wood-Mizer Products, Inc.

8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542
8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257

SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED
1 of 2	0.063	26-Jan-22	AJL	TZ	
DESCRIPTION			NUMBER	REVISION	
Assy, Log Deck Drive			1016-SLPT-017	A	


DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----

ITEM	PART NUMBER	DESCRIPTION	QTY
1	1028-SLPT-017	Chain, #120x92p	1
2	113332	Bushing, SDS 1 5/8	1
3	122578	Motor, 15HP 1800RPM 230/460 3P 254T	1
4	122579	Bushing, SK 1-7/8	1
5	122582	Bushing, E 3 1/4	1
6	122583	Sprocket, 120E22H	1
7	122584	Gearbox, 15HP 32.94:1 Atlas Concentric Inline	1
8	122585	Sheave, 3-3V14.00 SK	1
9	122586	Sheave, 3-3V5.30 SDS	1
10	122587	Belt, 3VX710	3
11	3010-SLPT-017	Wldmnt, Motor/Gearbox Stand	1
12	3015-SLPT-017	Wldmnt, Gearbox/Motor Mnt	1
13	F05004-155	Bolt, 1-8x4-1/2 HH Gr8 Znc	4
14	F05008-23	Bolt, 1/2-13x3 Hex Head GR5 Zinc	4
15	F05010-109	Nut, 1-8 Hex Nylok, Zinc	4
16	F05010-223	Nut, 1/2-13 Flanged Hex Nylock	4
17	F05010-7	NUT, 3/4-10 FREE HEX ZN	6
18	F05011-2	Washer, 1/2 SAE Flat	8
19	F05011-28	Washer, 1 ID SAE Flat	8
20	F05011-62	Washer, 3/4 SAE Flat	8
21	F05013-13	Bolt, 3/4-10x9 FT HH	2




TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.				
.xxx ±.005 .xx ±.010 HOLES +.010 -.000 FRACT ±1/32 ANGLE ± 1/2° GRIND #6		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542 8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257				
SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED	
2 of 2	0.063	11/23/21	AJL	TZ		
DESCRIPTION			NUMBER		REVISION	
Assy, Motor/Gearbox			1080-SLPT-017		A	

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----



- Notes:
1. Treatment: None
 2. Installation Tension: new 105.8 Lbf, used 70.5 Lbf
 3. Tensioning Force: new 6.6 Lbf, used 4.4 Lbf
 4. Tensioning Deflection: new 0.30 Inch, used 0.30 Inch
 5. Tensioning Frequency: new 81.6 Hz, used 66.6 Hz


ITEM	PART NUMBER	DESCRIPTION	QTY
1	1028-SLPT-017	Chain, #120x92p	1
2	113332	Bushing, SDS 1 5/8	1
3	122578	Motor, 15HP 1800RPM 230/460 3P 254T	1
4	122579	Bushing, SK 1-7/8	1
5	122582	Bushing, E 3 1/4	1
6	122583	Sprocket, 120E22H	1
7	122584	Gearbox, 15HP 32.94:1 Atlas Concentric Inline	1
8	122585	Sheave, 3-3VI4.00 SK	1
9	122586	Sheave, 3-3VI5.30 SDS	1
10	122587	Belt, 3VX710	3
11	3010-SLPT-017	Wldmnt, Motor/Gearbox Stand	1
12	3015-SLPT-017	Wldmnt, Gearbox/Motor Mnt	1
13	F05004-155	Bolt, 1-8x4-1/2 HH Gr8 Znc	4
14	F05008-23	Bolt, 1/2-13x3 Hex Head GR5 Zinc	4
15	F05010-109	Nut, 1-8 Hex Nylok, Zinc	4
16	F05010-223	Nut, 1/2-13 Flanged Hex Nylock	4
17	F05010-7	NUT, 3/4-10 FREE HEX ZN	6
18	F05011-2	Washer, 1/2 SAE Flat	8
19	F05011-28	Washer, 1 ID SAE Flat	8
20	F05011-62	Washer, 3/4 SAE Flat	8
21	F05013-13	Bolt, 3/4-10x9 FT HH	2



TOLERANCES UNLESS NOTED .xxx ±.005 .xx ±.010 HOLES +.010 FRACT ±1/32 ANGLE ± 1/2° GRIND #6	Wood-Mizer Products, Inc. 8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542 8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257				
DESCRIPTION Assy, Motor/Gearbox		SHEET 1 of 2	SCALE 0.125	DATE 11/23/21	DESIGNED AJL
				DRAWN TZ	CHECKED REVISION
				NUMBER 1080-SLPT-017	A

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----


ITEM	PART NUMBER	DESCRIPTION	QTY
1	1017-SLPT-017	Weldment, Headshaft Mnt	1
2	1021-SLPT-017	Assy, WH124 9T Idler	5
3	122568	Assy, Headshaft	1
4	F05009-44	Bolt, 3/4-10x2 1/2 HH Gr5	20
5	F05010-225	Nut, 3/4-10 Flanged Hex Nylock	20
6	F05011-62	Washer, 3/4 SAE Flat	20



TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.				
.xxx ±.005 .xx ±.010 HOLES +.010 -.000 FRACT ±1/32 ANGLE ± 1/2° GRIND #6		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542 8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257				
SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED	
2 of 2	0.063	27-Jan-21	MCM	TZ		
DESCRIPTION			NUMBER		REVISION	
Assy, Headshaft Mnt			1321-SLPT-017		A	

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----

ITEM	PART NUMBER	DESCRIPTION	QTY
1	1017-SLPT-017	Weldment, Headshaft Mnt	1
2	1021-SLPT-017	Assy, WH124 9T Idler	5
3	122568	Assy, Headshaft	1
4	F05009-44	Bolt, 3/4-10x2 1/2 HH Gr5	20
5	F05010-225	Nut, 3/4-10 Flanged Hex Nylock	20
6	F05011-62	Washer, 3/4 SAE Flat	20





DETAIL A
SCALE 0.250

Notes:
1. Treatment: None

TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.				
.xxx ±.005		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542				
.xx ±.010		8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257				
HOLES +.010		SHEET	SCALE	DATE	DESIGNED	DRAWN
-.000		1 of 2	0.063	27-Jan-21	MCM	TZ
FRACT ±1/32		DESCRIPTION				CHECKED
ANGLE ± 1/2°		Assy, Headshaft Mnt				
GRIND #6		NUMBER				REVISION
		1321-SLPT-017				A

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----

ITEM	PART NUMBER	DESCRIPTION	QTY
1	071512	Bushing, 21Dx2 1/20Dx2 3/8 Lg Oil	2
2	1013-SLPT-017	Wldmnt, Pivot Pin	1
3	1022-SLPT-017	Sprocket, WH124 9T Idler	1
4	F05007-123	Bolt, 3/8-16x 1 1/4 HH Gr5	1
5	F05010-222	Nut, 3/8-16 Flanged Hex Nylock	1




SCALE 0.125

Notes:
1. Treatment: None

TOLERANCES UNLESS NOTED .xxx ±.005 .xx ±.010 HOLES +.010 -.000 FRACT ±1/32 ANGLE ± 1/2° GRIND #6	Wood-Mizer Products, Inc.					
	8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542 8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257					
	SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED
	1 of 1	0.250	26-Jan-22	MCM	TZ	
DESCRIPTION				DRAWING NUMBER	REVISION	
Assy, WH124 9T Idler				1021-SLPT-017	A	

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----

ITEM	PART NUMBER	DESCRIPTION	QTY
1	120616	Bearing, 3-7/16 Bore, Flange F4B-SCM-307	5
2	122569	Shaft, Keyed 3 7/16 Dia	1
3	122570	Sprocket, WR124 14t 3-7/16 Bore Stl	5
4	122571	Key, 7/8 Sq x 5	5




Notes:
1. Treatment: None

TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.				
.xxx ±.005 .xx ±.010 HOLES +.010 -.000 FRACT ±1/32 ANGLE ± 1/2° GRIND #6		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542 8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257				
SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED	
1 of 1	0.063	9/28/21	MCM	MCM	MAM	
DESCRIPTION			NUMBER		REVISION	
Assy, Headshaft			122568		A	


DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----

ITEM	PART NUMBER	DESCRIPTION	QTY
1	1000-SLPT-017	Wldmnt, Log Deck Strand	1
2	1009-SLPT-017	Assy, WH124 14T Idler	2
3	3000-SLPT-017	Assy, Pin Stop	2




Part 3051-SLPT-017
not shown on this view



DETAIL A
SCALE 0.063



DETAIL B
SCALE 0.125




Notes:
1. Treatment: None

TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.					
.xxx ±.005		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542					
.xx ±.010		8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257					
HOLES +.010		SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED
FRACT ±.000		1 of 1	0.031	26-Jan-22	MCM	DG	
FRACT ±1/32"		DESCRIPTION			NUMBER		
ANGLE ± 1/2°		Assy, Log Deck Strand			1064-SLPT-017		
GRIND #6					REVISION		
					A		

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----

ITEM	PART NUMBER	DESCRIPTION	QTY
1	071512	Bushing, 21Dx2 1/20Dx2 3/8 Lg Oil	2
2	1010-SLPT-017	Sprocket, WH124 14T Idler	1
3	1013-SLPT-017	Wldmnt, Pivot Pin	1
4	F05007-123	Bolt, 3/8-16x 1 1/4 HH Gr5	1
5	F05010-222	Nut, 3/8-16 Flanged Hex Nylock	1



SCALE 0.125

**TOLERANCES
UNLESS NOTED**

.xxx ±.005
.xx ±.010
HOLES +.010
-.000
FRACT ±1/32
ANGLE ± 1/2°
GRIND #6

Wood-Mizer Products, Inc.

8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542
8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257

SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED
1 of 1	0.250	26-Jan-22	MCM	DG	

DESCRIPTION


Assy, WH124 14T Idler

DRAWING NUMBER REVISION

1009-SLPT-017 A


Notes:
1. Treatment: None

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----



SCALE 0.125

ITEM	PART NUMBER	DESCRIPTION	QTY
1	016880	Fitting, 1/2NPTSwvl-1/2"Push-In Elbw	1
2	120611	Fitting, 1/2 NPTM x 3/8 Tube Quick Ex. & FC	1
3	120612	Fitting, 1/2 Tube to 3/8 Tube Tee	1
4	122576	Bushing, 2-1/2x3x2-1/2, Bronze Oilite	2
5	122577	Cylinder, 4x12 Air w/ Side Lugs	1
6	122596	Clevis, 3/4-16x2-3/8	1
7	3002-SLPT-017	Weldment, Pin Stop	1
8	3051-SLPT-017	Bracket, Cover	1
9	F05008-191	Bolt, 1/2-13x2-1/4 SHC BO	4
10	F05008-82	Screw, 1/2 x 1 3/4 SHCS, Zn	4
11	F05010-223	Nut, 1/2-13 Flanged Hex Nylock	4
12	F05011-2	Washer, 1/2 SAE Flat	4
13	F81090-41	Ring, 75MM Internal Retaining	2





Notes:
1. Treatment: None

TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.				
.xxx ±.005 .xx ±.010 HOLES +.010 -.000 FRACT ±1/32 ANGLE ± 1/2° GRIND #6		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542 8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257				
SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED	
1 of 1	0.188	11/14/01	AJL	AJL	MAM	
DESCRIPTION			NUMBER		REVISION	
Assy, Pin Stop			3000-SLPT-017		A	

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----

ITEM	PART NUMBER	DESCRIPTION	QTY
1	016880	Fitting, 1/2NPTSwvl-1/2"Push-In Elbw	1
2	111560	Fitting, 1/2NPT-1/2"Push-In Straight	2
3	112517	Valve, Air 4/3 Clsd 1/2NPT 24DC Din A Snd	1
4	118601	Muffler, 3/4NPT Air Short	1
5	118602	Plug, 3/4NPT Pipe	1
6	1383-SLPT-017	Plate, Valve Mount	1
7	F05005-179	Screw, 1/4-20x2 1/2 SHC B0	2
8	F05008-88	Bolt, 1/2-13x1 3/4 HHGR5 FT Zinc	2
9	F05010-223	Nut, 1/2-13 Flanged Hex Nylock	2
10	F05011-14	Washer, 1/4 Split Lock	2
11	F05011-2	Washer, 1/2 SAE Flat	2
12	P26258	Plug, 1/2NPT Pipe	1




Notes:
1. Treatment: None

TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.				
.xxx ±.005 .xx ±.010 HOLES +.010 -.000 FRACT ±1/32" ANGLE ± 1/2° GRIND #6		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542 8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257				
SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED	
1 of 1	0.500	24-Mar-22	TZ	TZ	MCM	
DESCRIPTION			NUMBER		REVISION	
Assy, Valve Mount			1381-SLPT-017		A	

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----

ITEM	PART NUMBER	DESCRIPTION	QTY
1	112509	Switch, Limit Nylatron Loop	1
2	1390-SLPT-017	Wldmnt, Strut with Spacer	1
3	1391-SLPT-017	Plate, Switch Mount	1
4	F05004-187	Bolt, 8-32x1 1/2 SHC Plain	2
5	F05005-101	BOLT, 1/4-20 X 1 HEX HEAD GR5	2
6	F05010-133	Nut, #8-32 Hex	2
7	F05010-254	Nut, 1/4-20 Channel with Spring	2
8	F05011-84	Washer, #8 Split Lock	2



Notes:
1. Treatment: None

**TOLERANCES
UNLESS NOTED**

.xxx ±.005
.xx ±.010
HOLES +.010
-.000
FRACT ±1/32
ANGLE ± 1/2°
GRIND #6

Wood-Mizer Products, Inc.

8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542
8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257

SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED
1 of 1	0.500	09-Mar-22	TZ	TZ	MCM

DESCRIPTION


Assy, Switch Mount

DRAWING NUMBER REVISION

1389-SLPT-017 A

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----

ITEM	PART NUMBER	DESCRIPTION	QTY
1	112509	Switch, Limit Nylatron Loop	1
2	118541	Strut, 1 5/8" x 1 ft. Primed Steel	1
3	1391-SLPT-017	Plate, Switch Mount	1
4	F05004-187	Bolt, 8-32x1 1/2 SHC Plain	2
5	F05005-101	BOLT, 1/4-20 X 1 HEX HEAD GR5	2
6	F05010-133	Nut, #8-32 Hex	2
7	F05010-254	Nut, 1/4-20 Channel with Spring	2
8	F05011-84	Washer, #8 Split Lock	2



Notes:
1. Treatment: None

**TOLERANCES
UNLESS NOTED**

.xxx ±.005
.xx ±.010
HOLES +.010
-.000
FRACT ±1/32
ANGLE ± 1/2°
GRIND #6




Wood-Mizer Products, Inc.

8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542
8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257

DESIGN	DATE	SCALE	SHEET	CHECKED	DRAWN	DESIGNED
MCM	18-Mar-22	0.500	1 of 1	TZ	TZ	TZ
REVISION	DRAWING NUMBER	DESCRIPTION				
A	1609-SLPT-017	Assy, Switch Mount				

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----

ITEM	PART NUMBER	DESCRIPTION	QTY
1	122592	U-bolt, 1/2-13 X 6W X 8-5/8T	4
2	122594	Grommet, 31D x 40D Rubber	2
3	3054-SLPT-017	Tube, Log Deck Crossmember	1
4	3058-SLPT-017	Plate, Saddle	2



Notes:
1. Treatment: None

TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.				
.xxx ±.005 .xx ±.010 HOLES +.010 -.000 FRACT ±1/32 ANGLE ± 1/2° GRIND #6		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542 8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257				
SHEET		SCALE	DATE	DESIGNED	DRAWN	CHECKED
1 of 1		0.125	1/3/22	AJL	AJL	MAM
DESCRIPTION				NUMBER		REVISION
Assy, Log Deck Cableway				3057-SLPT-017		A