

**Restoration Forest Products
Windfall System
MR600 Outfeed Rollcases
Wood-Mizer US Manufactured**

Parts Manual

SLPT-017-46-840	rev. A1.00
SLPT-017-47-840	rev. A1.00

Form # 2520

Publish date: 26 August 2022

California Proposition 65 Warning



WARNING: This product contains a chemical known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov/wood.

©2022 Wood-Mizer LLC

Printed in the United States of America, all rights reserved. No part of this manual may be reproduced in any form by any photographic, electronic, mechanical or other means or used in any information storage and retrieval system without written permission from

Wood-Mizer, LLC
8180 West 10th Street
Indianapolis, Indiana 46214


Table of Contents

SLPT-017-46-840 and SLPT-017-47-840

SLPT-017-46-840 East MR6000 OF Rollcase.....	4
1612-SLPT-017 OF Rollcase RH Subassembly.....	6
1478-SLPT-017 Lagged Feed Roll Assembly.....	8
SLPT-017-47-840 West MR6000 OF Rollcase.....	9
1713-SLPT-017 OF Rollcase LH Subassembly.....	11
1708-SLPT-017 Feed Roll Assembly.....	12
120524 Cylinder Mount Pin Assembly.....	14
1499-SLPT-017 5HP 28.84 RMP Output Assembly.....	15
1485-SLPT-017 4 Bore, 8 Stroke MP4 Rod End Cyl.....	16
1491-SLPT-017 Press Roll Assembly.....	17
2134-SLPT-017 LH Sensor Array Assembly.....	18
2135-SLPT-017 RH Sensor Array Assembly.....	19

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----

TOP OF ROLLER: 36"
 ROLLER SPACING: 36"
 NOMINAL SPEED: 100 FPM @60Hz
 MOTOR: 5HP 480V 60Hz 3Ph
 MOTOR STARTER: VFAC



ITEM	PART NUMBER	DESCRIPTION	QTY
1	120651	Sprocket, 18BS20 2 7/16	1
2	1494-SLPT-017	Chain, #80x46 Roller	1
3	1499-SLPT-017	Assy, 5HP Motorgear 28.84 RPM Output	1
4	1612-SLPT-017	Assy, Outfeed Rollcase Subassy RH	1
5	1702-SLPT-017	Key, 5/8x1-1/2 Square	1
6	1703-SLPT-017	Cap, Roller End	1
7	2134-SLPT-017	Assy, LH Sensor Array	1
8	2135-SLPT-017	Assy, RH Sensor Array	1
9	F05008-101	BOLT, 1/2-13X3/4 HH GR5	1
10	F05011-9	Washer, 1/2 Split Lock	1

Notes:
 1. Treatment: None
 2. Estimated weight: 2271.6 Lbs
 3. Strand Tension: new 72 Lbs, used 48 Lbs
 4. Deflection Force: new 4.5 Lbs, used 3.0 Lbs
 5. Deflection amount: 0.22 Inch
 6. Frequency: new 93.0 Hz, used 76.0 Hz

**TOLERANCES
UNLESS NOTED**

.xxx ±.005
 .xx ±.010
 .x ±.010
 HOLES -.000
 FRACT ±1/32
 ANGLE ± 1/2°
 GRIND #6

Wood-Mizer Products, Inc.

8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542
 8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257



SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED
1 of 2	0.063	03-May-22	MCM	TZ	MCM

DESCRIPTION	NUMBER	REVISION
Outfeed Rollcase, East MR6000	SLPT-017-46-840	A

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----

TOP OF ROLLER: 36"
 ROLLER SPACING: 36"
 NOMINAL SPEED: 100 FPM @60Hz
 MOTOR: 5HP 480V 60Hz 3Ph
 MOTOR STARTER: VFAC

ITEM	PART NUMBER	DESCRIPTION	QTY
1	120651	Sprocket, 18BS20 2 7/16	1
2	1494-SLPT-017	Chain, #80x46 Roller	1
3	1499-SLPT-017	Assy, 5HP Motorgear 28.84 RPM Output	1
4	1612-SLPT-017	Assy, Outfeed Rollcase Subassy RH	1
5	1702-SLPT-017	Key, 5/8x1-1/2 Square	1
6	1703-SLPT-017	Cap, Roller End	1
7	2134-SLPT-017	Assy, LH Sensor Array	1
8	2135-SLPT-017	Assy, RH Sensor Array	1
9	F05008-101	BOLT, 1/2-13X3/4 HH GR5	1
10	F05011-9	Washer, 1/2 Split Lock	1





SECTION A-A

Notes:
 1. Treatment: None
 2. Estimated weight: 2271.6 Lbs
 3. Strand Tension: new 72 Lbs, used 48 Lbs
 4. Deflection Force: new 4.5 Lbs, used 3.0 Lbs
 5. Deflection amount: 0.22 Inch
 6. Frequency: new 93.0 Hz, used 76.0 Hz

TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.			
.xxx ±.005 .xx ±.010 .x ±.010 HOLES -.000 FRACT ±1/32 ANGLE ± 1/2° GRIND #6		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542 8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257			
SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED
2 of 2	0.063	03-May-22	MCM	TZ	MCM
DESCRIPTION			NUMBER	REVISION	
Outfeed Rollcase, East MR6000			SLPT-017-46-840	A	

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----

ITEM	PART NUMBER	DESCRIPTION	QTY
1	120524	Assy, Cyl Mount Pin	2
2	1478-SLPT-017	Wldmnt, Lagged Feed Roll	1
3	1485-SLPT-017	Assy, Cylinder 4 Bore, 8 Stroke MP4 + Rod End	2
4	1491-SLPT-017	Assy, Press Roll	1
5	1613-SLPT-017	Wldmnt, Frame RH Drive	1
6	1708-SLPT-017	Assy, Feed Roll	1
7	F05013-71	Bolt, 3/4-10x2 HH Gr5	2




Notes:
1. Treatment: None



TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.			
.xxx ±.005 .xx ±.010 .x ±.010 HOLES -.000 FRACT ±1/32 ANGLE ± 1/2° GRIND #6		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542 8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257			
SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED
2 of 2	0.063	03-May-22	MCM	TZ	MCM
DESCRIPTION			NUMBER	REVISION	
Assy, Outfeed Rollcase Subassy RH			1612-SLPT-017	A	

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----

ITEM	PART NUMBER	DESCRIPTION	QTY
1	120524	Assy, Cyl Mount Pin	2
2	1478-SLPT-017	Wldmnt, Lagged Feed Roll	1
3	1485-SLPT-017	Assy, Cylinder 4 Bore, 8 Stroke MP4 + Rod End	2
4	1491-SLPT-017	Assy, Press Roll	1
5	1613-SLPT-017	Wldmnt, Frame RH Drive	1
6	1708-SLPT-017	Assy, Feed Roll	1
7	F05013-71	Bolt, 3/4-10x2 HH Gr5	2





DETAIL A
SCALE 0.125



Notes:
1. Treatment: None


TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.			
.xxx ±.005		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542			
.xx ±.010		8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257			
.x ±.010					
HOLES -.000					
FRACT ±1/32					
ANGLE ± 1/2°					
GRIND #6					
DESCRIPTION	SHEET	SCALE	DATE	DESIGNED	CHECKED
Assy, Outfeed Rollcase Subassy RH	1 of 2	0.063	03-May-22	MCM	MCM
				DRAWN	REVISION
				TZ	A
				NUMBER	
				1612-SLPT-017	

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----



Notes:
1. Treatment: None
2. See Craft-EZ-Lagging Instructions


ITEM	PART NUMBER	DESCRIPTION	QTY
1	120647	Bearing, 2-7/16 F4B-SC-207	2
2	1482-SLPT-017	Wldmnt, Feed Roller	1
3	1703-SLPT-017	Cap, Roller End	1
4	1705-SLPT-017	Wldmnt, Lagging	1
5	F05008-101	BOLT, 1/2-13X3/4 HH GR5	1
6	F05009-33	Bolt, 5/8-11x1 3/4 HH	8
7	F05010-224	Nut, 5/8-11 Flanged Hex Nylock	8
8	F05011-9	Washer, 1/2 Split Lock	1



TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.			
.xxx ±.005 .xx ±.010 .x ±.010 HOLES -.000 FRACT ±1/32 ANGLE ±1/2° GRIND #6		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542 8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257			
SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED
1 of 1	0.125	03-May-22	MCM	TZ	MCM
DESCRIPTION			NUMBER	REVISION	
Assy, Lagged Feed Roll			1478-SLPT-017	A	

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----

TOP OF ROLLER: 36"
 ROLLER SPACING: 36"
 NOMINAL SPEED: 100 FPM @60Hz
 MOTOR: 5HP 480V 60Hz 3Ph
 MOTOR STARTER: VFAC



ITEM	PART NUMBER	DESCRIPTION	QTY
1	120651	Sprocket, 18BS20 2 7/16	1
2	1494-SLPT-017	Chain, #80x46 Roller	1
3	1499-SLPT-017	Assy, 5HP Motorgear 28.84 RPM Output	1
4	1702-SLPT-017	Key, 5/8x1-1/2 Square	1
5	1703-SLPT-017	Cap, Roller End	1
6	1713-SLPT-017	Assy, Outfeed Rollcase Subassy LH	1
7	2134-SLPT-017	Assy, LH Sensor Array	1
8	2135-SLPT-017	Assy, RH Sensor Array	1
9	F05008-101	BOLT, 1/2-13X3/4 HH GR5	1
10	F05011-9	Washer, 1/2 Split Lock	1

Notes:



1. Treatment: None
2. Estimated weight: 2271.6 Lbs
3. Strand Tension: new 72 Lbs, used 48 Lbs
4. Deflection Force: new 4.5 Lbs, used 3.0 Lbs
5. Deflection amount: 0.22 Inch
6. Frequency: new 93.0 Hz, used 76.0 Hz

TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.			
.xxx ±.005 .xx ±.010 .x ±.010 HOLES -.000 FRACT ±1/32 ANGLE ± 1/2° GRIND #6		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542 8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257			
SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED
1 of 2	0.063	03-May-22	MCM	TZ	MCM
DESCRIPTION			NUMBER	REVISION	
Outfeed Rollcase, West MR6000			SLPT-017-47-840	A	

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----

TOP OF ROLLER: 36"
 ROLLER SPACING: 36"
 NOMINAL SPEED: 100 FPM @60Hz
 MOTOR: 5HP 480V 60Hz 3Ph
 MOTOR STARTER: VFAC

ITEM	PART NUMBER	DESCRIPTION	QTY
1	120651	Sprocket, 18BS20 2 7/16	1
2	1494-SLPT-017	Chain, #80x46 Roller	1
3	1499-SLPT-017	Assy, 5HP Motorgear 28.84 RPM Output	1
4	1702-SLPT-017	Key, 5/8x1-1/2 Square	1
5	1703-SLPT-017	Cap, Roller End	1
6	1713-SLPT-017	Assy, Outfeed Rollcase Subassy LH	1
7	2134-SLPT-017	Assy, LH Sensor Array	1
8	2135-SLPT-017	Assy, RH Sensor Array	1
9	F05008-101	BOLT, 1/2-13X3/4 HH GR5	1
10	F05011-9	Washer, 1/2 Split Lock	1





SECTION A-A

Notes:
 1. Treatment: None
 2. Estimated weight: 2271.6 Lbs
 3. Strand Tension: new 72 Lbs, used 48 Lbs
 4. Deflection Force: new 4.5 Lbs, used 3.0 Lbs
 5. Deflection amount: 0.22 Inch
 6. Frequency: new 93.0 Hz, used 76.0 Hz

TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.			
.xxx ±.005 .xx ±.010 .x ±.010 HOLES -.000 FRACT ±1/32 ANGLE ± 1/2° GRIND #6		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542 8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257			
SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED
2 of 2	0.063	03-May-22	MCM	TZ	MCM
DESCRIPTION			NUMBER	REVISION	
Outfeed Rollcase, West MR6000			SLPT-017-47-840	A	

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----

ITEM	PART NUMBER	DESCRIPTION	QTY
1	120524	Assy, Cyl Mount Pin	2
2	1478-SLPT-017	Assy, Lagged Feed Roll	1
3	1485-SLPT-017	Assy, Cylinder 4 Bore, 8 Stroke MP4 + Rod End	2
4	1491-SLPT-017	Assy, Press Roll	1
5	1497-SLPT-017	Wldmnt, Frame LH Drive	1
6	1708-SLPT-017	Assy, Feed Roll	1
7	F05013-71	Bolt, 3/4-10x2 HH Gr5	2




Notes:
1. Treatment: None


TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.			
.xxx ±.005 .xx ±.010 .x ±.010 HOLES -.000 FRACT ±1/32" ANGLE ± 1/2° GRIND #6		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542 8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257			
SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED
2 of 2	0.063	03-May-22	MCM	TZ	MCM
DESCRIPTION			NUMBER		REVISION
Assy, Outfeed Rollcase Subassy LH			1713-SLPT-017		A

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----


ITEM	PART NUMBER	DESCRIPTION	QTY
1	120524	Assy, Cyl Mount Pin	2
2	1478-SLPT-017	Assy, Lagged Feed Roll	1
3	1485-SLPT-017	Assy, Cylinder 4 Bore, 8 Stroke MP4 + Rod End	2
4	1491-SLPT-017	Assy, Press Roll	1
5	1497-SLPT-017	Wldmnt, Frame LH Drive	1
6	1708-SLPT-017	Assy, Feed Roll	1
7	F05013-71	Bolt, 3/4-10x2 HH Gr5	2



DETAIL A
SCALE 0.125






SEE DETAIL A



TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.			
.xxx ±.005		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542			
.xx ±.010		8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257			
.x ±.010					
HOLES -.000					
FRACT ±1/32"					
ANGLE ± 1/2°					
GRIND #6					
DESCRIPTION	SHEET	SCALE	DATE	DESIGNED	CHECKED
Assy, Outfeed Rollcase Subassy LH	1 of 2	0.063	03-May-22	MCM	MCM
				DRAWN	REVISION
				TZ	A
				NUMBER	
				1713-SLPT-017	

Notes:
1. Treatment: None

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----



ITEM	PART NUMBER	DESCRIPTION	QTY
1	120647	Bearing, 2-7/16 F4B-SC-207	2
2	1482-SLPT-017	Wldmnt, Feed Roller	1
3	1703-SLPT-017	Cap, Roller End	1
4	F05008-101	BOLT, 1/2-13X3/4 HH GR5	1
5	F05009-33	Bolt, 5/8-11x1 3/4 HH	8
6	F05011-27	Washer, 5/8 Split Zinc Lock	8
7	F05011-9	Washer, 1/2 Split Lock	1

Notes:
1. Treatment: None

TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.			
.xxx ±.005 .xx ±.010 .x ±.010 HOLES -.000 FRACT ±1/32" ANGLE ± 1/2° GRIND #6		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542 8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257			
SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED
1 of 1	0.125	03-May-22	MCM	TZ	MCM
DESCRIPTION			NUMBER	REVISION	
Assy, Feed Roll			1708-SLPT-017	A	

DATE	REV	REVISION RECORD	DR	CK	ITEM	PART NUMBER	DESCRIPTION	QTY
					1	120558	Wldmnt, Cyl Mount Pin	1
					2	F05008-33	Bolt, 1/2-13x1 1/2 HH Gr5	2
					3	F05010-223	Nut, 1/2-13 Flanged Hex Nylock	2
					4	F05011-101	Washer, 1/2 SAE Flat Gr5-8	2
					5	F05012-158	Pin, Cotter 3/16 Dia x 3"	1

Notes:

1. Treatment: None

**TOLERANCES
UNLESS NOTED**

.xxx ±.005
.xx ±.010
HOLES +.010
-.000
FRACT ±1/32
ANGLE ± 1/2°
GRIND #6


Wood-Mizer Products, Inc.

8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542
8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257

SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED
1 of 1	0.750	13-Jan-21	MCM	DM	MCM

DESCRIPTION	DRAWING NUMBER	REVISION
Assy, Cyl Mount Pin	120524	A



DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----



Notes:

1. Treatment: None
2. Strand Tension: new 72 Lbs, used 48 Lbs
3. Deflection Force: new 4.5 Lbs, used 3.0 Lbs
4. Deflection amount: 0.22 Inch
5. Frequency: new 93.0 Hz, used 76.0 Hz

ITEM	PART NUMBER	DESCRIPTION	QTY
1	115152	Motor, 5HP 3P 230/460 184TC	1
2	120635	Sheave, 2-3V3.00-JA	1
3	120636	Sheave, 2-3V6.00-SH	1
4	120637	Belt, 3VX425	2
5	120638	Bushing, JA 1 1/8	1
6	120644	Rexnord Slidebase Kit - Mercury/Mars	1
7	120652	Gearbox, 31.63:1 Mercury 5HP	1
8	120654	Rexnord Motor Mount Kit, Mercury/Mars	1
9	120655	Bushing, SK 2	1
10	120659	Bushing, SH 1 3/8 5/16	1
11	123586	Sprocket, 80SK17H	1
12	F05009-47	Bolt, 7/8-9 x 2-1/4 HH Unplated	4
13	F05010-208	NUT, 7/8-9 NYLOCK	4
14	F05011-73	Washer, 7/8 SAE Flat	8



TOLERANCES UNLESS NOTED

.xxx ±.005
.xx ±.010
.x ±.010
HOLES -.000
FRACT ±1/32
ANGLE ±1/2°
GRIND #6

Wood-Mizer Products, Inc.

8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542
8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257

DESCRIPTION	SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED
Assy, 5HP Motorgear 28.84 RPM Output	1 of 2	0.125	03-May-22	MCM	TZ	MCM
				NUMBER		REVISION
				1499-SLPT-017		A

DATE	REV	REVISION RECORD	DR	CK	ITEM	PART NUMBER	DESCRIPTION	QTY
					1	078337	Fitting, Exh Muffler 1/2NPT Air	1
					2	120516	Fitting, 1/2NPTM x 1/2Tube Flow Control	1
					3	120648	Rod End, 3/4-16 Female RH	1
					4	120649	Cylinder, 4 Bore x 8 Stroke Air	1
					5	120650	Clevis, Single MP4	1

Notes:

1. Treatment: None

TOLERANCES UNLESS NOTED

.xxx ±.005
.xx ±.010
HOLES ±.010
FRACT ±.000
FRACT ±1/32
ANGLE ± 1/2°
GRIND #6

Wood-Mizer Products, Inc.


8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542
8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257

SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED
1 of 1	0.250	18-Apr-22	MCM	TZ	MCM

DESCRIPTION	DRAWING NUMBER	REVISION
Assy, Cylinder 4 Bore, 8 Stroke MP4 + Rod End	1485-SLPT-017	A

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----

ITEM	PART NUMBER	DESCRIPTION	QTY
1	120647	Bearing, 2-7/16 F4B-SC-207	4
2	120656	Plug, 2NPT Pipe	2
3	1475-SLPT-017	Wldmnt, Press Roll	1
4	1492-SLPT-017	Wldmnt, Press Roll Arms	1
5	1703-SLPT-017	Cap, Roller End	4
6	F05008-101	BOLT, 1/2-13X3/4 HH GR5	4
7	F05009-2	BOLT, 5/8-11X2 HEX HD GR2, ZN	8
8	F05009-33	Bolt, 5/8-11x1 3/4 HH	8
9	F05010-224	Nut, 5/8-11 Flanged Hex Nylock	8
10	F05011-27	Washer, 5/8 Split Zinc Lock	8
11	F05011-5	Washer, 5/8 SAE Flat	8
12	F05011-9	Washer, 1/2 Split Lock	4





Notes:
1. Treatment: None
2. Estimated weight: 654.9 Lbs

TOLERANCES UNLESS NOTED		Wood-Mizer Products, Inc.			
.xxx ±.005 .xx ±.010 .x ±.010 HOLES -.000 FRACT ±1/32 ANGLE ± 1/2° GRIND #6		8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542 8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257			
SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED
1 of 1	0.125	03-May-22	MCM	TZ	MCM
DESCRIPTION			NUMBER	REVISION	
Assy, Press Roll			1491-SLPT-017	A	

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----

ITEM	PART NUMBER	DESCRIPTION	QTY
1	112564	Banner LX6EQ	1
2	120472	Banner SMLXR Mounting Bracket	1
3	1432-SLPT-017	Bracket, LH Sensor Mount	1
4	F05004-167	Bolt, #10-24x3/4 Unslotted HH	4
5	F05007-2	Bolt, 3/8-16x1 1/4 HH Gr2	2
6	F05010-14	Nut, #10-24 Keps	4
7	F05010-222	Nut, 3/8-16 Flanged Hex Nylock	2
8	F05011-18	Washer, #10 SAE Flat	8
9	F05011-3	Washer, 3/8 Flat SAE	2



Notes:
1. Treatment: None

**TOLERANCES
UNLESS NOTED**

.xxx ±.005
.xx ±.010
HOLES +.010
- .000
FRACT ±1/32
ANGLE ± 1/2°
GRIND #6

Wood-Mizer Products, Inc.

8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542
8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257


SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED
1 of 1	0.375	22-Apr-22	SNW	TZ	MCM

DESCRIPTION

Assy, LH Sensor Array


DRAWING NUMBER	REVISION
2134-SLPT-017	A

DATE	REV	REVISION RECORD	DR	CK
------	-----	-----------------	----	----



Notes:
1. Treatment: None

ITEM	PART NUMBER	DESCRIPTION	QTY
1	112563	Banner LX6RQ Receiver	1
2	120472	Banner SMLXR Mounting Bracket	1
3	1429-SLPT-017	Bracket, RH Sensor Mount	1
4	F05004-167	Bolt, #10-24x3/4 Unslotted HH	4
5	F05007-2	Bolt, 3/8-16x1 1/4 HH Gr2	2
6	F05010-14	Nut, #10-24 Keps	4
7	F05010-222	Nut, 3/8-16 Flanged Hex Nylock	2
8	F05011-18	Washer, #10 SAE Flat	8
9	F05011-3	Washer, 3/8 Flat SAE	2



TOLERANCES UNLESS NOTED

.xxx ±.005
.xx ±.010
HOLES +.010
FRACT ±1/32
ANGLE ± 1/2°
GRIND #6

Wood-Mizer Products, Inc.

8180 W. 10th, Indianapolis, In 46214-2400 (317) 271-1542
8829 East State Rd. 46, Greensburg, In 47240-7449 (812) 663-5257

SHEET	SCALE	DATE	DESIGNED	DRAWN	CHECKED
1 of 1	0.375	22-Apr-22	SNW	TZ	MCM

DESCRIPTION

Assy, RH Sensor Array

DRAWING NUMBER	REVISION
2135-SLPT-017	A