E10 Motor

Safety, Operation, Maintenance & Parts Manual

034812 Motor, LT15 10Hp 3Ph rev. A-B 017957 Motor, LT15 10Hp 3Ph 575V rev. A-B


Safety is our #1 concern!

April 2010

Form #1100

Used with

ev. E2.00 - E8.14 ev. A1.00 - A2.00 ev. E2.00 - E8.14 ev. E2.10 - E8.14 ev. A1.00 - A2.00
ev. E2.00 - E6.05



Active Patents assigned to Wood-Mizer, LLC

Wood-Mizer, LLC has received patents that protect our inventions which are a result of a dedication to research, innovation, development, and design. Learn more at: <u>woodmizer.com/patents</u>

© Wood-Mizer LLC

Printed in the United States of America, all rights reserved. No part of this manual may be reproduced in any form by any photographic, electronic, mechanical or other means or used in any information storage and retrieval system without written permission from

Wood-Mizer, LLC 8180 West 10th Street Indianapolis, Indiana 46214

Table of Contents

Section-Page

SECTION	1 SAFETY	1-1
1.1	Safety1-1	
SECTION	2 OPERATION	2-1
2.1	Starting The Motor2-1	
SECTION	1 MAINTENANCE	1-1
1.1	Safety1-1	
SECTION	2 REPLACEMENT PARTS	2-1
2.1	Motor Starter Assembly	
2.2	Motor Starter Assembly	
2.3	Motor Starter Assembly	
2.4	Motor Assembly	
2.5	Throttle/Clutch Assembly LT15E10 Rev. E1.00+2-8	



SECTION 1 SAFETY

This manual is provided as a supplement to the equipment manufacturer's manuals.

This manual provides information specific to the use of this equipment on the Wood-Mizer[®] sawmill. Refer to the sawmill operator's manual and manufacturer's manual before attempting to operate this equipment.

NOTICE Read the sawmill operator's manual and engine manufacturer's manual for instructions and safety precautions before operating this equipment.

The information and instructions given in this manual do not amend or extend the limited warranties for the equipment given at the time of purchase.

Refer to the manufacturer's manual for maintenance intervals and procedures unless otherwise instructed in this manual. Follow the manufacturer's recommendations for dusty conditions.

NOTICE This manual only provides information about additional procedures or procedures to be performed at different time intervals than found in the manufacturer's manuals. Refer to the manufacturer's manual for complete maintenance instructions.



WARNING! Clean sawdust from all guards, vents, control boxes, or any area where sawdust may gather **after every shift**. Failure to do so may result in fire, causing death or serious injury.



1.1 Safety

Use caution when performing maintenance or service to the engine.



DANGER! Take proper protective measures against rotating shafts, pulleys, fans, etc.

Ensure loose clothing or long hair does not engage rotating members.

DANGER! Do not touch or perform service functions on a hot engine. Allow the engine to cool sufficiently before beginning any service function. Hot engine components will cause serious burns.

WARNING! Remove the blade before performing any engine service.

WARNING! Wear eye, hand, and foot protection equipment when performing service functions.

SECTION 2 OPERATION

2.1 Starting The Motor

DANGER! Ensure the blade is disengaged and all persons are out of the path of the blade before starting. Failure to do so will result in death or serious injury.

Turn the main switch on the starter box to the ON position.

Press the green START button located on the starter box to start the motor.

MOTOR SHUTOFF

Press the red STOP button on the starter box to stop the motor.

Turn the main switch to the OFF position.



SECTION 1 MAINTENANCE

Refer to the manufacturer's manual for maintenance intervals and procedures unless otherwise instructed in this manual. Follow the manufacturer's recommendations for dusty conditions.

NOTICE This manual only provides information about additional procedures or procedures to be performed at different time intervals than found in the manufacturer's manuals. Refer to the manufacturer's manual for complete maintenance instructions.

WARNING! Clean sawdust from all guards, vents, control boxes, or any area where sawdust may gather **after every shift**. Failure to do so may result in fire, causing death or serious injury.

1.1 Safety

Use caution when performing maintenance or service to the motor.

DANGER! Take proper protective measures against rotating shafts, pulleys, fans, etc.

Ensure loose clothing or long hair does not engage rotating members.

DANGER! Ensure all electrical installation, service and/or maintenance work is performed by a qualified electrician and is in accordance with applicable electrical codes.

DANGER! Hazardous voltage inside the disconnect box, starter box, and at the motor can cause shock, burns, or death. Disconnect and lock out power supply before servicing! Keep all electrical component covers closed and securely fastened during mill operation.


WARNING! Remove the blade before performing any engine service.

WARNING! Wear eye, hand, and foot protection equipment when performing service functions.

SECTION 2 REPLACEMENT PARTS

2.1 Motor Starter Assembly

LT15Rev. E6.06+




REF	PART #	DESCRIPTION	COMMENTS	QTY.
	017954	MOTOR MODULE, 10HP 3-PHASE 208-240V ELECTRIC MOTOR		1
	017955	MOTOR MODULE, 10HP 3-PHASE 380-500V ELECTRIC MOTOR		1
		Motor Parts ()	(See Section 4.4)	
	053713	Control Assembly, LT15 E10 3-Phase 240V		1
	053738	Control Assembly, LT15 E10 3-Phase 460V		1



REF	PART #	DESCRIPTION	COMMENTS	QTY.
1	F05006-5	Bolt, 5/16-18 x 3/4 Hex Head		4
2	035991	Bracket, Front Electric Motor Mount		1
3	035992	Bracket, Rear Electric Motor Mount		1
4	053584	Enclosure, 16" x 16" x 8" Custom		1
		LT15E10L Electrical Components (See Component List)	
		LT15E10H Electrical Components (See Component List)	
		LT15E10S Electrical Components	(See Component List)	
5	F05011-16	Washer, 5/16 Flat		4
6	F05010-20	Nut, 5/16-18 Keps		4
7	053714	Harness Assembly, LT15E10L Blade Motor (3-Phase 240V)		1
	053739	Harness Assembly, LT15E10H Blade Motor (3-Phase 460V)		1
8	S20061	Decal, Electrical Hazard Danger		1
9	069362	Decal, LT15E10 Control Cabinet		1
10	034906	TUBE WELDMENT, WIRE HANGER LT15E		1
11	034899	MOUNT WELDMENT, BATTERY/CONTROL BOX		1
12	F05006-102	BOLT, 5/16-18 X 3/4" HEX HEAD		4
13	F05010-58	NUT, 5/16-18 NYLON LOCK		4
14	F05007-7	BOLT, 3/8-16 X 1" HEX HEAD		3
15	F05011-4	WASHER, 3/8" SPLIT LOCK		3
16	F05011-3	WASHER, 3/8" SAE FLAT		3
17	P05436	CLAMP, 1" EMT		1

2.2 Motor Starter Assembly

LT15Rev. E6.00 - E6.05




REF	PART #	DESCRIPTION	COMMENTS	QTY.
1	034899	MOUNT WELDMENT, BATTERY/CONTROL BOX		1
2	F05011-3	WASHER, 3/8 FLAT		3
3	F05011-4	WASHER, 3/8 SPLIT LOCK		3
4	F05007-7	BOLT, 3/8-16 X 1 HEX HEAD		3
5	F05006-102	BOLT, 5/16-18 X 3/4 HEX HEAD		4
6	F05010-58	NUT, 5/16-18 NYLON LOCK		4
	052816	CONTROL ASSEMBLY, LT15 E10 3-PHASE 230V		1
	052817	CONTROL ASSEMBLY, LT15 E10 3-PHASE 460V		1
	052818	CONTROL ASSEMBLY, LT15 E10 3-PHASE 575V		1
		Electrical Components	() <u>See Component List</u>	



REF	PART #	DESCRIPTION	COMMENTS	QTY.
7	038911	Bracket, Control Mount		2
8	F05006-1	Bolt, 5/16-18 x 1" Hex Head		4
9	F05011-13	Washer, 5/16" Split Lock		4
10	F05011-17	Washer, 5/16" SAE Flat		8
11	F05010-20	Nut, 5/16-18 Self-Locking Hex		4
12	055348	Enclosure, LT15 Control Box		1
13	S11753	Decal, Eye/Ear Protection Warning		1
14	016402	Decal, Read Manual Warning		1
15	S20061	Decal, Electrical Hazard Danger		1
	P05436	CLAMP, 1 EMT		1
16	034906	TUBE WELDMENT, WIRE HANGER LT15E		1

2.3 Motor Starter Assembly

LT15Rev. E2.00 - E5.00




REF	PART #	DESCRIPTION	COMMENTS	QTY.
	088280-4	STARTER ASSEMBLY, 10HP 3-PHASE 50/60HZ ELECTRIC MOTOR		1
1	F81002-4	Bolt, M8 x 20-8.8 Hex Head		4
2	N/A	Bracket, Electric Motor Starter		2
3	N/A	Box, Electric Motor Starter Enclosure		1
	084037	Timer, Y-Delta		1
	084305	Contactor, LC1 D09 B7		1
	084306	Contactor, LC1 D18 B7		1
	088278	Switch, Modular		1
	090562	Transformer, LT15		1



REF	PART #	DESCRIPTION	COMMENTS	QTY.
4	F81054-1	Washer, 8.4mm Flat		4
5	F81032-2	Nut, M8-8 Hex		4
6	088265-1	Switch, Electric Motor Starter Main		1
7	N/A	Latch, Starter Box Door		1
8	F81000-7	Bolt, M5 x 25 8.8 Socket Head		4
9	F81052-1	Washer, 5.3mm Flat		8
10	050942	Conn Plug, 60A 3P Watertight		1
	050943	Conn Socket, 60A 3P Watertight		1
11	F81030-2	Nut, M5-8 Hex		4
12	086556	Switch, Emergency Stop		1
13	086561	Decal, Emergency Stop Switch		1
14	090462	Membrane, Start-Stop Switch		1
15	090452	Switch, Start/Stop 24V		1
16	090448	Light, White LED Control		1
	088264	STARTER, MANUAL MOTOR 24-32A (LT15E10L)		1
	090561	STARTER, MANUAL MOTOR 13-18A (LT15E10H)		1
	090430	STARTER, MANUAL MOTOR 9-14A (LT15E10C)		1
17	S20061	DECAL, ELECTRICAL HAZARD DANGER		1
18	034906	TUBE WELDMENT, WIRE HANGER LT15E		1
19	034899	MOUNT WELDMENT, BATTERY/CONTROL BOX		1
20	F05006-102	BOLT, 5/16-18 X 3/4 HEX HEAD		4
21	F05010-58	NUT, 5/16-18 NYLON LOCK		4
22	F05007-7	BOLT, 3/8-16 X 1 HEX HEAD		3
23	F05011-4	WASHER, 3/8 SPLIT LOCK		3
24	F05011-3	WASHER, 3/8 FLAT		3
	P05436	CLAMP, 1 EMT		1


2.4 Motor Assembly



REF	PART #	DESCRIPTION	COMMENTS	QTY.
	P12393	Cover, Engine		1
	034812	MOTOR ASSEMBLY, LT15 10HP 3-PHASE ELECTRIC		1
	017957	MOTOR ASSEMBLY, LT15 10HP 575 VOLT ELECTRIC		1
1	034903	Motor, 10HP 3-phase Lincoln	Available in assemblies only.	1
	034907	Motor, 10HP 3-phase 575V Lincoln		1
2	P04864	Bushing, 1 3/8 Split Taper		1
3	036057	Sheave, BK45QT		1
4	F05007-129	BOLT, 3/8-16 X 1 3/4" HEX HEAD GRADE 5		4
5	034807	Spacer, Motor LT15E		2
6	F05010-10	NUT, 3/8-16 HEX NYLON LOCK		4
7	P25301	BELT, BX85 DRIVE		1
8	034904	GUARD, MOTOR SHAFT LT15E		1
9	F05007-7	SCREW, 3/8-16 X 1 HEX HEAD		2
10	F05011-3	WASHER, 3/8 FLAT SAE		2
11	F05010-10	NUT, 3/8-16 HEX NYLON LOCK		2
12	S20097	DECAL, MOTOR DIRECTION		1
13	036058	DECAL, E10 ELECTRIC MOTOR WIRING		1



2.5 Throttle/Clutch Assembly LT15E10 Rev. E1.00+



REF	PART #	DESCRIPTION	COMMENTS	QTY.
1	P04211	KNOB, 5/8-11 BALL		1
2	016487	HANDLE, LT15 CLUTCH	Clutch Handle 016487 modified Rev. E6.01 to eliminate possible pinch point with feed rope pulley with saw head at certain heights.	1
3	016486	BUSHING, 5/8 ID X 7/8 OD X 1 1/8 LONG FL BRONZE		3
4	P05035	COLLAR, 5/8 ID LOCK		1
5	065572	BLOCK WELDMENT, LINKAGE CLUTCH/BRAKE	Replaces 034612 to make clutch pivot stop adjustable Rev. E6.10.	1
6	F05012-16	PIN, 3/16 X 1 1/4 ROLL		1
7	034605	LINKAGE ASSEMBLY, W/BEARING		1
8	F05010-35	NUT, 1/2-13 FREE HEX, ZINC		1
9	F05011-9	WASHER, 1/2 SPLIT LOCK		1
10	F05010-31	NUT, 1/2-13 JAM		1
11	034608	PIVOT WELDMENT, CLUTCH/BRAKE		1
12	P737	BUSHING, 1 X 1 1/4 X 3/4 FLANGE BRONZE		2

REF	PART #	DESCRIPTION	COMMENTS	QTY.
	065874	BRAKE/CLUTCH ASSEMBLY, LT15	Replaces Brake/Clutch Assem- bly 034603 to improve durability (Rev. E7.01). Brake/Clutch Assembly 034603 (including Clutch/Brake Arm Weldment 034613) modified 9/10. Spring mount hardware changed to provide more freedom of move- ment and prevent binding point in spring.	1
13	065873	Arm Weldment, Clutch/Brake LT15		1
14	F05007-124	Bolt, 3/8-16 x 2 Hex Head Gr5		1
15	F05010-10	Nut, 3/8-16 Hex Nylon Lock		1
16	016488	Block, LT15 Brake		2
17	F05004-2	Screw, 10-24 x 1 Socket Head	Replaces F05004-50 originally supplied before 4/03 (duplicate part numbers).	4
18	F05010-14	Nut, #10-24 Keps		8
19	034602	Idler, 4" O.D. x 3/8 Bore		1
20	F05007-230	Bolt, 3/8-16 x 2-3/4" Hex Head Gr5 Full Thread		1
21	F05011-3	Washer, 3/8 Flat		2
22	F05010-25	Nut, 3/8-16 Swaged Lock		2
23	034810	Spring, Idler Arm LT15/D/E/G		1
24	F05004-282	Screw, 10-24 x 5/8" FSHC		4
25	065872	Plate, Brake Adjustment		2
26	F05011-18	Washer, #10 SAE Flat		4